



Enviro-Tite[®]

BDS and Onsite Septic Tank Pipe (Solid Wall and NS Spec perf. pattern)

LETTER OF COMPLIANCE

Scope:

This letter of compliance covers the requirements for Coextruded PVC **Enviro-Tite** Solvent Weld Building Drain and Sewer pipe applications (BDS). These products meet or exceed performance standards set by the CSA International (CSA), the American Society for Testing and Materials (ASTM) and the Nova Scotia On-site Sewage Disposal Systems Standard requirements.

Enviro-Tite Solvent Weld Building Drain and Sewer Pipe NS, perforated or not perforated, are suitable for safe and efficient conveyance of domestic wastes or storm water. Perforated pipe can also be used as distribution pipe. They are available in:

4" and 6" (100 mm & 150 mm)

Material:

PVC Poly(Vinyl Chloride) used in the manufacturing of **Enviro-Tite** Solvent Weld and Gasketed Sewer Pipe complies with ASTM D 1784, *Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds*, having a cell classification of 12454 for the virgin PVC outer layers and 12223 for the reprocessed-recycled PVC center layer.

Pipe:

Enviro-Tite Solvent Weld Building Drain and Sewer Pipe NS contains over 50% of recycled material as specified in the applicable standards and with the following Standards;

CSA B182.1 "Plastic Drain and Sewer Pipe and Pipe Fittings".

Nova Scotia "On-site Sewage Disposal Systems Standard requirements – May 2016"

ASTM D1784 "Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds,

Perforation pattern comply with both CSA and Nova Scotia On-site Sewage Disposal Systems Standard requirements.

Markings:

Enviro-Tite Solvent Weld Sewer Pipes are marked as prescribed in the above applicable standards to indicate size of the pipe, material designation, compliance to standard, and manufacturer's name or trademark.

Color Coding:

Enviro-Tite Solvent Weld Sewer Pipe has a center layer that is a contrasting color to that of the inner and outer layers.

**For questions related to these products, please call your local
IPEX Customer Service representative.**

Issue Date: 2016-06-23

IPEX Inc.

3 Place du Commerce, Suite101, Île-des-Soeurs, Verdun, PQ, Canada H3E 1H7

☎ (514) 769-2200 ☎ (800) 363-2620 FAX (514) 769-1672

www.ipexna.com